



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/937,044	01/08/2002	Hasse Sinivaara	NOKI14-00008	5296	
75	90 06/10/2004		EXAM	INER	
Docket Clerk			PEREZ, J	PEREZ, JULIO R	
P.O. Box 802432 Dallas, TX 75380		ART UNIT		PAPER NUMBER	
Danas, 17. 75	300		2681	B	
			DATE MAILED: 06/10/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Applicati	on No	Applicant(s)			
Office Action Summan			44	SINIVAARA, HASSE			
	Office Action Summary	Examine	r	Art Unit			
		Julio R Pe		2681			
Period fo	The MAILING DATE of this commu or Reply	nication appears on th	a cover sheet with the c	orrespondence address			
THE - Exte after - If the - If NO - Failu Any	ORTENED STATUTORY PERIOD I MAILING DATE OF THIS COMMUN nsions of time may be available under the provision SIX (6) MONTHS from the mailing date of this come period for reply specified above is less than thirty to period for reply is specified above, the maximum is the toreply within the set or extended period for reply received by the Office later than three months and patent term adjustment. See 37 CFR 1.704(b).	NICATION. as of 37 CFR 1.136(a). In no every communication. (30) days, a reply within the state statutory period will apply and welly will, by statute, cause the apply	rent, however, may a reply be tim tutory minimum of thirty (30) days vill expire SIX (6) MONTHS from olication to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status							
1)⊠	Responsive to communication(s) fi	led on 01/08/02.					
· —	This action is FINAL.	2b)⊠ This action is r	non-final.				
3)							
,—	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposit	ion of Claims						
5)□ 6)⊠ 7)□	Claim(s) 30-56 is/are pending in the 4a) Of the above claim(s) is/Claim(s) is/are allowed. Claim(s) 30-56 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restrict the subject t	are withdrawn from co					
Applicat	ion Papers						
10)	The specification is objected to by to the drawing(s) filed on is/arc Applicant may not request that any objected the oath or declaration is objected	e: a) accepted or bection to the drawing(s) ag the correction is requi	be held in abeyance. See red if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority	under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
2) Notice 3) Infor	ot(s) ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review mation Disclosure Statement(s) (PTO-1449 or or No(s)/Mail Date		4) Interview Summary Paper No(s)/Mail Do 5) Notice of Informal F 6) Other:				

Art Unit: 2681

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) The invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 30-39, 43-44, 47-56 are rejected under 35 U.S.C. 102(b) as being anticipated by Armbruster et al. (GB2310973).

Regarding Claim 30, Armbruster et al. disclose a telephone system for a vehicle comprising: a vehicle transceiver, on board said vehicle, and connectable to a cellular telephone network for bi-directional communication therewith (Page 5, lines 4-9, the system includes communication equipment pertaining to a transceiver, and it is connectable to the telephone network on the ground); a server terminal, on board said vehicle, connected to said transceiver and having an identification address (Page 5, lines 13-15; page 13, lines 5-11; Fig. 6, Ref. 600, the VCCU includes serving means, which, in turn, gathers information about users to send to Gateways on the ground); a plurality of user terminals (Page 5, lines 11-15, communication units connectable to the VCCU, that includes a server within), distributed on board the vehicle, each capable of accepting an identity of a user of the cellular telephone system and each connected to said server terminal whereby a plurality of users may communicate simultaneously with said network via the server terminal (Page 5, lines 16-29; Page 13, lines 5-11; Fig. 2; Fig. 6, Ref. 620, the on-board users may communicate with user on the ground, and

Art Unit: 2681

both the on-board passenger registration and on-ground user registration may be performed; indeed, several users may communicate with the ground network through the VCCU); and a location data base for identifying users of the cellular telephone system when their identifies are accepted by respective user terminals and for associating those users with said identification address to permit communication to be established between those users and the cellular telephone system via the server terminal (Page 5, lines 1-6; page 6, lines 32-35; Page 7, lines 1-10, the network contains location registers for storing location information; therefore, a subscriber will be allowed to establish communication once he or she is registered).

Regarding Claim 31, Armbruster et al. disclose a telephone system further comprising: a plurality of interface systems each for providing a communication path between said transceiver and a switching network within a respective region (Page 6, lines 16-22; Fig. 1, Ref. 106, the system uses the communication system satellites as interface to connect to the earth terminal (102) and consequently to the switching center in the ground network), the switching network being connected to said telephone network and connectable to at least one of said interface systems when the vehicle is located in the region corresponding to that interface system thereby providing a communication path between said transceiver and said telephone network (Page 4, lines 1-6 and 21-34; Page 6, lines 16-24, the system provides connection between the communication system through the satellite and the ground station); and control apparatus operable to select which one of said interface systems should provide the communication path to the transceiver when the vehicle is located in the regions

Art Unit: 2681

corresponding to a plurality of interface systems (Page 12, lines 15-34; Page 13, lines 1-31, the system provides means to allow connection between the communication units on the mobile vehicle and the terrestrial system).

Regarding Claim 32, Armbruster et al. disclose a telephone system in which said location data base is connected to said telephone network and is accessible to enable said network to locate each of said accepted users and thereby enable by-directional communication between said telephone network and each of said identified users (Page 7, lines 2-18, the network system provides means to locate communication units that establish communication between the on-air unit and the ground units).

Regarding Claim 33, Armbruster et al. disclose a telephone system wherein said control apparatus is further operable to control simultaneously the handover of said established communication when the vehicle moves from a first one of said regions to a second one of said regions (Page 14, lines 14-26, the phone network possesses a mobile switching center capable of handling handovers).

Regarding Claim 34, Armbruster et al. disclose a telephone system wherein said identification address remains unaltered as said vehicles moves from said first to said second respective regions (page 14, lines 6-26, the communication unites are allowed to move freely from one section to the other in the network without interruption to their own parameters).

Regarding Claim 35, Armbruster et al. disclose a telephone system wherein said telephone system allows bi-directional communication between each user terminal in

Art Unit: 2681

said vehicle and said telephone network (Page 14, lines 6-13, the system provides connection between units in mobile vehicle and the ground units).

Regarding Claim 36, Armbruster et al. disclose a telephone system wherein each said interface system comprises a server satellite and at least one associated ground earth station (Page 4, lines 1-6 and 21-34; Page 6, lines 16-24, the system provides connection between the communication system, through the satellite, and the ground station).

Regarding Claim 37, Armbruster et al. disclose a telephone system said vehicle transceiver comprises an aeronautical earth station for bi-directional communication via satellite to a ground earth station, which is connectable to the telephone network (page 4, lines 21-34; Page 5, lines 15, the system provides communication between the VCCU and an earth station).

Regarding Claim 38, Armbruster et al. disclose a telephone system wherein said location database is stored in a mobile switching center (Page 14, lines 14-33, the MSC comprises location registers).

Regarding Claim 39, Armbruster et al. disclose a telephone system wherein said user terminal is connected to said server terminal via a first fixed connection and said server terminal is connected to said vehicle transceiver via a second fixed connection (Page 5, lines 10-15, the communication units may hard wired to the VCCU, which contains a server within).

Regarding Claim 43, Armbruster et al. disclose a telephone system wherein said user terminal comprises a cellular phone unit provided with an identification receptor for

Art Unit: 2681

a subscription identifier of a user of the cellular telephone system (page 5, lines 30-34; Page 6, lines 1-2, the communication unit is capable of receiving identification means of a subscriber).

Regarding Claim 44, Armbruster et al. disclose a telephone system in which the identifier is a SIM card or Smart Card (Page 5, lines 30-34; Page 6, lines 1-2, the user may use a magnetically card to identify himself or herself).

Regarding Claim 47, Armbruster et al. disclose a telephone system wherein said server terminal comprises a personal computer (PC) (Page 7, lines 26-31, the VCCU comprises a computer pertaining to a server).

Regarding Claim 48, Armbruster et al. disclose a telephone system wherein said location database identifies which user of the cellular telephone system is connected to a user terminal by a subscription identifier (Page 6, lines 32-35; Page 7, lines 1-5, the system possesses a register to identify the subscribed users of the system).

Regarding Claim 49, Armbruster et al. disclose a telephone system wherein said switching network and control apparatus comprise an Internet network (Page 14, lines 10-33; Fig. 7, the system contains computers interconnected).

Regarding Claim 50, Armbruster et al. disclose a telephone system said location database is an Intranet location register (Page 14, lines 27-33, the locations registers are capable of performing software commands within the MSC corresponding to interworking computers).

Regarding Claim 51, Armbruster et al. disclose a telephone system wherein the vehicle is an aircraft (Page 3, lines 33-34, the vehicle may include busses or airplanes).

Art Unit: 2681

Regarding Claim 52, Armbruster et al. disclose a method of operating a telephone system within a vehicle to enable a plurality of users to simultaneously communication with aground base cellular telephone system, which method comprises: establishing a fixed connection through a plurality of user terminals distributed on board the vehicle to a server terminal having an identification address (Page 4, lines 1-14, 21-34, the system includes communications units that connect to ground stations through a computer within the VCCU); establishing a connection between said server terminal and an on board transceiver (Page 5, lines 7-15, the computing means within the VCCU connects to the communication units on board the vehicle); identifying users of the cellular telephone system when their identifies are accepted by respective user terminals (Page 5, lines 14-32, the users are registered when they are associated with the home network); and associating identified users with said identification address to permit simultaneous communication to be established between those users and the cellular telephone system via the server terminal (page 12, lines 15-34; Page 13, lines 1-31, communication is established as soon as identification is provided).

Regarding Claim 53, Armbruster et al. disclose a method, further comprising: establishing a communication path between said transceiver and a switching network via a satellite and associated ground station when said vehicle is in a respective region wherein said switching network is connected to said cellular telephone system (Page 4, lines 1-6 and 21-34; Page 6, lines 16-24, the system provides connection between the communication system through the satellite and the ground station).

Art Unit: 2681

Regarding Claim 54, Armbruster et al. disclose a method, further comprising: selecting which satellite should provide a communication path to the transceiver when the vehicle is located in a region corresponding to a plurality of satellites (Page 12, lines 15-34; Page 13, lines 1-31; Fig. 1, Ref. 106, the system provides means to allow connection between the communication units on the mobile vehicle and the terrestrial system).

Regarding Claim 55, Armbruster et al. disclose a method, wherein the vehicle is an aircraft (Page 3, lines 33-34, the vehicle may include busses or airplanes).

Regarding Claim 56, Armbruster et al. disclose a telephone for use in a telephone system for a vehicle comprising: a vehicle transceiver, on board said vehicle, and connectable to a cellular telephone network for bi-directional communication therewith (Page 5, lines 16-29; Page 13, lines 5-11; Fig. 2; Fig. 6, Ref. 620, the VCCU is able to connect to a ground network); a server terminal, on board said vehicle, connected to said transceiver and having an identification address (Page 4, lines 1-14, 21-34, the system includes communications units that connect to ground stations through a computer within the VCCU); a plurality of user terminals (Page 5, lines 11-15, communication units connectable to the VCCU, that includes a server within), distributed on board the vehicle, each capable of accepting an identity of a user of the cellular telephone system and each connected to said server terminal whereby a plurality of users may communicate simultaneously with said network via the server terminal (Page 5, lines 16-29; Page 13, lines 5-11; Fig. 2; Fig. 6, Ref. 620, the on-board users may communicate with user on the ground, and both the on-board passenger

Art Unit: 2681

registration and on-ground user registration may be performed; indeed, several users may communicate with the ground network through the VCCU); and a location database for identifying users of the cellular telephone system when their identifies are accepted by the respective user terminals and for associating those users with said identification address to permit communication to be established between those users and the cellular telephone system via the server terminal (Page 5, lines 1-6; page 6, lines 32-35; Page 7, lines 1-10, the network contains location registers for storing location information; therefore, a subscriber will be allowed to establish communication once he or she is registered); said telephone being adapted to prevent RF emission when connected in a vehicle (Page 5, lines 7-15, the communication units are connected through wire to the VCCU, hence avoiding radiation exposure).

Page 9

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 40-42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Armbruster et al. (GB2310973).

Regarding Claim 40, Armbruster et al. teach all the limitations in claim 39.

Armbruster et al. do not explicitly disclose a telephone system according wherein said first fixed connection is RS232 serial bus or USB.

Art Unit: 2681

However, the preceding limitation is well known in the art of communication networks.

Armbruster et al. highly suggest that the communication units and the VCCU may be linked using hard-wired or optical links (Page 5, lines 11-15).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to include either an RS232 or USB serial buses as links in the system as taught by Armbruster et al. because it would provide the system with more alternative data link connections beside RF links.

Regarding Claim 41, Armbruster et al. teach all the limitations in claim 39.

Armbruster et al. do not explicitly disclose a telephone system according to claim 39 wherein said first fixed connection is a universal serial bus (USB).

However, the preceding limitation is well known in the art of communication networks.

Armbruster et al. highly suggest that the communication units and the VCCU may be linked using hard-wired or optical links (Page 5, lines 11-15).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to include either an RS232 or USB serial buses as links in the system as taught by Armbruster et al. because it would provide the system with more alternative data link connections beside RF links.

Regarding Claim 42, Armbruster et al. teach all the limitations in claim 39.

Armbruster et al. do not explicitly disclose a telephone system according to claim 39 wherein said second fixed connection is a CEPT-E1 connection.

Art Unit: 2681

However, the preceding limitation is well known in the art of communication networks.

Armbruster et al. highly suggest that the communication units and the VCCU may be linked using hard-wired or optical links (Page 5, lines 11-15).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to include either a CEPT-E1 connection in the system as taught by Armbruster et al. because it would provide the system with more alternative data link connections beside RF links.

5. Claims 45-46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Armbruster et al. (GB2310973) in view of Prudhomme et al. (5634209).

Regarding Claim 45, Armbruster et al. teach all limitations in claim 30.

Armbruster et al. do not explicitly disclose a telephone system wherein said user terminal comprises a phone receptor for receiving a user cellular phone.

However, the preceding limitation is well known in the art of telecommunications. Prudhomme et al. teaches a cellular vehicle mobile telephone with a cradle (col. 9, lines 7-10).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to improve upon the vehicle system phone as taught by Armbruster et al. by implementing the terminal with a cradle as taught by Prudhomme et al. because it would provide the communication unit with the ability to pose or remove the phone with ease.

Art Unit: 2681

Regarding Claim 46, Armbruster et al. disclose a telephone system wherein said user cellular phone is adapted to deactivate radio transmission by the cellular phone when said cellular phone is connected to said phone receptor (Col. 2, lines 61-67; col. 3, lines 1-3, it is highly suggested that vehicle cradles disconnect transmission while inserted in the cradle per the background text of the invention).

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The following patents are cited to further show the art with respect to telephone systems in aircrafts and in-vehicle radios, and transceivers.

US Patent No. 5973722 to Wakai et al. et al. Broadcast distribution

system

US Patent No. 5963877 to Kobayashi Call receiver indicator

US Patent No. 6598227 to Berry et al.

Vehicle entertainment

system

US Patent No.5634209 to Prudhomme et al. Vehicle-radio antenna

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julio R Perez whose telephone number is (703) 305-8637. The examiner can normally be reached on Monday - Friday, 7:30AM-4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Erika Gary can be reached on (703) 308-0123. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

UP' (

PATENT EXAMINER